

RICK SCOTT GOVERNOR 1109 S. Marion Avenue Lake City, Florida 32025-5874 JIM BOXOLD SECRETARY

July 22, 2016

To: Prospective Bidders

Addendum No.: 2, E2V58, FIN#433036-1-52-01 & 433036-1-56-01

Federal Aid # 0955-314-I

I-95 at I-10 Interchange Operational Improvements

RFP REVISIONS

1. Section I – Introduction

a.	Page 1	Overview – Updated project limits	
b.	Page 2	Structures – Removed reference to the widening of Bridge Nos.	
		720194, 720195, & 720643; removed reference to existing Bridge	
		Culvert No. 720354	
C.	Page 3	Structures – Revised fender replacement to extension in kind;	
	-	removed reference to joint replacements for Bridge No. 720627	

2. Section V – Design and Construction Criteria

a.	Page 22	v.b.3.c – Updated requirements for architectural façade over
		Riverside Ave.
b.	Page 28	V.F – Revised section to indicate that railroad coordination is no
	-	longer anticipated
C.	Page 33	V.I.6 – Deleted railroad submittal requirements
d.	Page 34	V.K – Deleted reference to CSX Railroad in list of schedule
	-	Activities

3. Section VI – Design and Construction Criteria

a.	Page 41	VI.A – Clarified removal requirements for existing pavement not
		incorporated into the final horizontal layout
b.	Page 44	VI.A – Deleted table of I-10 clearing and grubbing limits
C.	Page 46	VI.C, Driven Piles for Bridges and Major Structures – Deleted
		reference to Bridge Nos. 720194, 720195, & 720643
d.	Page 47	VI.C, Drilled Shafts for Bridges and Miscellaneous Structures –
		Deleted reference to Bridge Nos. 720194, 720195, & 720643
e.	Page 56	VI.E, Design Analysis – Deleted reference to pavement section for
	_	King St.
f.	Page 60	VI.F, Ramps, Item (e) – Added requirements related to the closure
	_	of the ramp connecting Ramp C to I-10 WB
g.	Page 61	VI.F, Local Streets – Deleted reference to King St.
ň.	Page 66	VI.H.2.g – Deleted environmental classifications for Bridge Nos.
	•	720194, 720195, & 720643
i.	Page 66	VI.H.2.j – Deleted reference to Bridge Nos. 720194 & 720195

j.	Page 67	VI.H.2.n – Clarified exterior beam depth requirements
k.	Page 68	VI.H.2.ee – Clarified expansion joint requirements
l.	Page 69	VI.H.2.gg – Clarified that modular joint replacements are only
	-	required within the limits of the proposed bridge widening
m.	Page 69	VI.H.2.kk, VI.H.2.ll – Deleted requirements related to polymeric
	-	fenders
n.	Page 69	VI.H.2.II.ii– Updated station limits
0.	Page 70	VI.H.2.II.iii – Updated station limits
p.	Page 70	VI.H.2.II.vi – Added requirement related to exterior beam depth of
		pedestrian bridge
q.	Page 70	VI.H.2.oo, VI.H.2.pp, VI.H.2.rr – Deleted requirements related to
		work within the railroad right of way
r.	Page 70	VI.H.2.ss – Deleted requirements related to fender system
		replacement
S.	Page 71	VI.H.2.uu – Deleted pier protection requirements for Bridge No.
		720194
t.	Page 75	VI.M.3 – Deleted lane closure restrictions for King St.
u.	Page 76	VI.M.3 – Deleted detour requirements for King St.

Appendix E - Typical Section Package

- 1. Sheets 2 & 4 thru 25 Revised project limits
- Sheet 3 Revised list of major structures
- 3. Deleted I-10 WB typical sections backstation of Sta. 670+25.10
- 4. Sheet 4 Revised station limits; revised lane configuration for consistency with Horizontal Layout revisions; removed noise wall footer
- 5. Sheet 6 Revised station limits; revised lane configuration for consistency with Horizontal Layout revisions
- 6. Sheet 7 Removed noise wall footer
- 7. Sheet 10 Revised station limits
- 8. Deleted Ramp Y typical sections
- 9. Sheet 13 Revised lane configuration for consistency with Horizontal Layout revisions
- 10. Deleted Ramp Z typical section
- 11. Sheet 22 Revised station limits; removed noise wall footer
- 12. Sheet 23 Revised station limits; removed noise wall footer

<u>Appendix G – Horizontal Layout</u>

- 1. Sheet 1 Removed I-10 WB noise wall construction
- 2. Sheets 2 & 3 Removed I-10 WB widening and noise wall construction
- 3. Sheet 4 Removed I-10 WB widening
- 4. Sheet 5 Removed I-10 WB widening west of Ramp V/Irene St. Intersection; revised striping on Ramp T to provide a two-lane ramp with wide inside shoulder
- Sheet 6 Revised striping on Ramp T to provide a two-lane ramp with wide inside shoulder; revised Ramp P geometry; revised striping for closure of existing ramp connecting Ramp C to I-10 WB
- 6. Sheet 7 Revised striping on Ramp T to provide a two-lane ramp with wide inside shoulder

- 7. Sheet 8 Revised Ramp P geometry; revised striping for closure of existing ramp connecting Ramp C to I-10 WB
- 8. Sheet 8A Added sheet
- 9. Sheet 9 Revised striping on Ramp T to provide a two-lane ramp with wide inside shoulder; revised shared use path geometry at Riverside Ave. landing
- 10. Sheet 10 Added optional pier location for the pier supporting the shared use path near Sta. 331+00
- 11. Sheet 18 Added optional pier location for the pier supporting the shared use path near Sta. 331+00
- 12. Sheet 22 Removed I-10 WB widening

<u>Appendix M – Department Commitments</u>

Phone: 386-758-3798 Fax: 386-758-3791

1. Parking Lot Details, Figure No. 14 – Revised shared use path geometry at Riverside Ave. landing

Please sign this addendum and return a sigr	ed copy to me to indicate receipt.
Company Name	
Signature	
Date	
Thank you, Jim Brown, District Contracts Administrator	